


Camprofile / Рифелни гарнитури



Type M7B M7C

Norm: EN 1514-6

Flanges: DIN

Pressure: PN 10 - 400

PN	10-40			63-160	250-400	10	16	25	40	64	100	160	250	320	400
DN	d1	d2			d3										
10	22,0	36,0	36,0	36,0	46,0	46,0	46,0	46,0	56,0	56,0	56,0	67,0	67,0	67,0	
15	26,0	42,0	42,0	42,0	51,0	51,0	51,0	51,0	61,0	61,0	61,0	72,0	72,0	--	
20	31,0	47,0	47,0	47,0	61,0	61,0	61,0	61,0	--	--	--	--	--	--	
25	36,0	52,0	52,0	52,0	71,0	71,0	71,0	71,0	82,0	82,0	82,0	83,0	92,0	104,0	
32	46,0	62,0	62,0	66,0	82,0	82,0	82,0	82,0	--	--	--	--	--	--	
40	53,0	69,0	69,0	73,0	92,0	92,0	92,0	92,0	103,0	103,0	103,0	109,0	119,0	135,0	
50	65,0	81,0	81,0	87,0	107,0	107,0	107,0	107,0	113,0	119,0	119,0	124,0	134,0	150,0	
65	81,0	100,0	100,0	103,0	127,0	127,0	127,0	127,0	137,0	143,0	143,0	153,0	170,0	192,0	
80	95,0	115,0	115,0	121,0	142,0	142,0	142,0	142,0	148,0	154,0	154,0	170,0	190,0	207,0	
100	118,0	138,0	138,0	146,0	162,0	162,0	168,0	168,0	174,0	180,0	180,0	202,0	229,0	256,0	
125	142,0	162,0	162,0	178,0	192,0	192,0	194,0	194,0	210,0	217,0	217,0	242,0	274,0	301,0	
150	170,0	190,0	190,0	212,0	217,0	217,0	224,0	224,0	247,0	257,0	257,0	284,0	311,0	348,0	
175	195,0	215,0	215,0	245,0	247,0	247,0	254,0	265,0	277,0	287,0	284,0	316,0	358,0	402,0	
200	220,0	240,0	248,0	280,0	272,0	272,0	284,0	290,0	309,0	324,0	324,0	358,0	398,0	442,0	
250	270,0	290,0	300,0	340,0	327,0	328,0	340,0	352,0	364,0	391,0	388,0	442,0	488,0	--	
300	320,0	340,0	356,0	400,0	377,0	383,0	400,0	417,0	424,0	458,0	458,0	536,0	--	--	
350	375,0	395,0	415,0	--	437,0	443,0	457,0	474,0	486,0	512,0	--	--	--	--	
400	426,0	450,0	474,0	--	489,0	495,0	514,0	546,0	543,0	572,0	--	--	--	--	
450	480,0	506,0	--	--	539,0	555,0	--	571,0	--	--	--	--	--	--	
500	530,0	560,0	588,0	--	594,0	617,0	624,0	628,0	657,0	704,0	--	--	--	--	
600	630,0	664,0	700,0	--	695,0	734,0	731,0	747,0	764,0	813,0	--	--	--	--	
700	730,0	770,0	812,0	--	810,0	804,0	833,0	852,0	879,0	950,0	--	--	--	--	
800	830,0	876,0	886,0	--	917,0	911,0	942,0	974,0	988,0	--	--	--	--	--	
900	930,0	982,0	994,0	--	1.017,0	1.011,0	1.042,0	1.084,0	1.108,0	--	--	--	--	--	
1.000	1.040,0	1.098,0	1.110,0	--	1.124,0	1.128,0	1.154,0	1.194,0	1.220,0	--	--	--	--	--	
1.200	1.250,0	1.320,0	1.334,0	--	1.341,0	1.342,0	1.364,0	1.398,0	1.452,0	--	--	--	--	--	
1.400	1.440,0	1.522,0	--	--	1.548,0	1.542,0	1.578,0	1.618,0	--	--	--	--	--	--	
1.600	1.650,0	1.742,0	--	--	1.772,0	1.764,0	1.798,0	1.830,0	--	--	--	--	--	--	
1.800	1.850,0	1.914,0	--	--	1.972,0	1.964,0	2.000,0	--	--	--	--	--	--	--	
2.000	2.050,0	2.120,0	--	--	2.182,0	2.168,0	2.230,0	--	--	--	--	--	--	--	
2.200	2.250,0	2.328,0	--	--	2.384,0	2.378,0	--	--	--	--	--	--	--	--	
2.400	2.460,0	2.512,0	--	--	2.594,0	--	--	--	--	--	--	--	--	--	
2.600	2.670,0	2.728,0	--	--	2.794,0	--	--	--	--	--	--	--	--	--	
2.800	2.890,0	2.952,0	--	--	3.014,0	--	--	--	--	--	--	--	--	--	
3.000	3.100,0	3.166,0	--	--	3.228,0	--	--	--	--	--	--	--	--	--	